

Membranes

Part Number	Description	Quantity	Notes
1225828	ELEMENT_ENCAP_TFM-100EN	3,025	100 GPD RO membrane that is encapsulated in a housing with 1/4" John Guest fittings. Does not include concentrate flow restrictor
1207225	ELEMENT_HL1812T	1,800	Nano Filtration Membrane, will fit into any standard membrane housing
1220506	ELEMENT_NSF_DESAL_AG1812TAE	1,425	Standard 36GPD RO membrane -non branded labeled as AG1812TAE
1221122	ELEMENT_NSF_DESAL_TFM-100	642	100GPD GE branded RO element
1268322	ELEMENT_TFM-24EW_7266047	175	standard 24 GPD RO Membrane
1238189	ELEMENT_ENCAP_TFM-100EB	150	100 GPD RO membrane that is encapsulated in a housing with 1/4" John Guest fittings. Includes brine flow restrictor
1220541	ELEMENT_ENCAP_NSF_TFM-36EN	200	36 GPD RO membrane that is encapsulated in a housing with 1/4" John Guest fittings. Does not include concentrate flow restrictor

Pentek

Part Number	Description	Quantity	Notes
155788-43	Cart CEP-20E Ind Shr OEM 6/C	1,242	coconut carbon EP-20 block 5 micron 20" 2.5" individually wrapped 6 per case alternate to 155529
255554-43	RE-GS-10EXTRA-5-C, INLINE, 12/C	1,668	10" inline 2" diameter KDF and coconut carbon inline filter with 3/8" FNPT 5 micron
155422-43	P5 LOG 40" OEM 20/C	4,680	5 micron polypropylene 40" filter cartridge. Alternate for 155770 PD5-40
255802-43	CART 1 LB KDF/GAC/PH 10" 12/C	576	granular cartridge with KDF, Carbon, and Phosphate crystal in 10" length and 3" diameter 12 per case
355524-43	R-Plus BB, Shr w/Label 4/C	468	
255992-43	RE-UV2-8-G, INLINE (INT) 12/C	132	Inline UV system
255629-43	MU-GS-6CB5-G, INLINE, 12/C	726	5 micron inline carbon block filter 2" diameter 6" long with 1/4" john guest fitting ends 12 per case
255551-43	MU-GS-6EXTRA-25-G, INLINE, 25/C	584	6" L 2" dia inline KDF coconut carbon filter with 1/4" John Guest fittings 5 micron 25 per case
255659-43	RE-GS-215DI-B, INLINE, 12/C	344	11" by 2.5" high cap DI resin with 1/4" FNPT ends for TDS reduction
255501-43	RE-GS-6-G, INLINE, 12/C	550	6" L 2" dia inline coal carbon filter with 1/4" john guest ends 12 per case
155224-43	P25-30 IND SHR UPC 20/C	1,525	30" L 2.5" dia 25 micron spun polypropylene sediment cartridge
355002-43	LC-1 CARBON BLOCK CART 12/C	348	
255642-43	RE-GS-215CB5-C, INLINE, 12/C	200	14" L 2.5" dia 5 micron carbon block inline filter with 3/8" FNPT ends 12 per case
255522-43	RE-GS-10RO-C, INLINE, 12/C	280	10" L 2" dia coconut carbon 5 micron granular inline filter with 3/8" FNPT caps 12 per case
357045-43	QC10-CBR 3/8 BRKT HD ASSY 48/C	240	Head for QC systems with 3/8" JG fitting
255616-43	RE-GS-10CB1-H INLINE 12/C	108	10" L 2" dia 1 micron carbon block inline filter with 3/8" john guest ends 12 per case
255590-43	RE-GS-6ALS-C INLINE 12/C	214	10" L 2" dia 20 micron phosphate and coconut carbon inline filter with 3/8" FNPT caps 12 per case
255603-43	MU-GS-10PH-B INLINE 12/C	120	10" L 2" dia phosphate feeder inline filter with 1/4" FNPT 12 per case pentek label
255531-43	RE-GS-215RO-B, INLINE, 12/C	96	14" L 2.5" dia 5 micron granular coconut carbon inline filter with 1/4" FNPT caps pentek label 12 per case
255507-43	RE-GS-210-B, INLINE 12/C	96	10" L 2" dia 20 micron granular carbon inline filter with 1/4" FNPT caps pentek label 12 per case
255524-43	RE-GS-10RO-F, INLINE, 12/C	92	10" L 2" dia 5 micron granular coconut carbon inline filter 1/4" stem caps 12 per case pentek label
255632-43	RE-GS-10CB5-C, INLINE, 12/C	34	
255570-43	MU-GS-6SED/5-C, INLINE, 12/C	22	

Housings/Sumps/Caps

Part Number	Description	Quantity	Notes
158750	#10 SL BL/BL 3/4" BT FLAT 12/C	7,908	10" 3/4" slim line blue sump blue head flat cap BSP thread
158754	#10 SL WH/WH 3/4" BT W/PRFLAT	5,148	10" slim line flat top with pressure relief 3/4" inlet outlet with BSP (British thread)
158138	1/4" #5 BL & BLK WO/PR 12/C	5,568	5" 1/4" NPT black top and blue bottom slim line housing without pressure relief 12 per case
158785	#10 SL WH/WH 1/2" NPT FLATCAP	4,764	10" slim line flat cap all white with 1/2" NPT inlet outlet 12 per case
158757	#10 ST WH/CL 3/4" WPR FLAT 12/	3,216	10" Standard white cap clear sump 3/4" inlet outlet with pressure relief flat cap 12 per case
150398	UPC L #10 VIH W/PR CLEAR	1,125	10" valve in head filter housing 3/4" inlet out let with pressure relief with clear sump and black head alternate to 150437
158285	1/2" #5 CL WO/PR (SPEC) 12/C	2,328	1/2" npt slim line 5" housing without pressure relief. Blue cap clear sump. Alternate to opaque 158203 or 3/8" 158111
158759	#10 ST WH/WH 3/4" FLAT 12/C	3,336	10" standard housing all white flat cap with 3/4" inlet outlet 12 per case
158786	#10 SL BK/WH 1/2" FLAT 12/C	2,148	10" slim line flat cap black head white sump 1/2" NPT 12 per case
153033-06	#20 WHITE SUMP BULK 8/C	928	white sump for standard housing 20"
154115-06	CAP, BK W/PR 3/4" MB BULK 48/C	2,208	standard cap with 3/4" NPT and mounting bosses 48 per case bulk pack
158760	#10 ST WH/WH 3/4" WPR FLAT 12/	1,392	10" standard housing all white flat cap with 3/4" inlet outlet 12 per case with pressure relief
158755	#10 SL WH/CL 3/4" BT W/PR FLAT	1,128	10" slim line white cap with clear sump flat cap with 3/4" BSP (British) thread with pressure relief
158756	#10 SL WH/WH 3/4" BT FLAT 12/C	1,356	10" slim line 3/4" flat cap all white with BSP (British) thread
158583	1/2" #10 SL BLACK WO/PR 12/C	996	10" slim line all black no pressure relief 1/2" NPT inlet outlet with mounting bosses
158751	#10 SL BL/CL 3/4" BT FLAT 12/C	852	10" slim line blue flat cap with clear sump. 3/4" BSP (British) thread 12 per case
150561	#20 3G-ST BL/CL 3/4" BT MB W/PR	248	20" 3G standard black mounting boss head with pressure relief with clear sump. 3/4" BSP (British) thread
150391	UPC L 3/4" #10BL/BLKW/PR MB	480	10" standard 3/4" NPT black cap with pressure relief and mounting bosses with blue sump
150185	#10 CL BT VIH W/PR 12/C	252	10" valve in head filter housing 3/4" inlet out let with pressure relief with clear sump and blue head with BSP (british) thread
158753	#10 ST BK/CL 3/4" WPR FLAT 12/	540	10" standard filter housing black flat cap with clear sump with pressure relief and 3/4" NPT inlet outlet
158758	#10 ST BK/BL 3/4" FLAT 12/C	708	10" standard flat cap black cap without pressure relief 3/4" NPT inlet outlet blue sump 12 per case
166091	#10 BW BK/BL 1 BT WPR USW 6/C	180	1" Big White style unit with Black cap and blue sump 10" with BSP (British) thread 6 per case
158109	#5 CL - C2 W/BKT 6/C	264	5" filter kit Blue top, clear sump, C2 filter, 3/8" 3G Mounting boss with pressure relief, and bracket
153017	#10 SMP, SL, BL, PP	1,052	10" slim line sump in blue
154062	CAP, WHITE WO/PR 1/4" (AM)	1,751	slim line cap without pressure relief with mounting bosses and 1/4" FNPT inlet outlet in white
158639	#10 3G-SL BK/BL 1/4" QC IB W/PR	264	10" 3G slim line integrated bracket black cap with 1/4" john guest inlet outlet and blue sump with pressure relief
150279	#10 HOT/HIGH WO/PR (SPEC) 12/C	60	10" high temp housing without pressure relief 3/4" FNPT inlet outlet-F349
158702-06	#10 US WH/WH 3/8 W/PR 12/C	336	10" 3G slim line integrated bracket all white with pressure relief and 3/8" John guest inlet outlet 12 per case
158630	#10 3G-SL BL/CL 1/2" BT IB W/PR	216	10" 3G slim line integrated bracket with pressure relief blue cap with clear sump with BSP (British) plumbing
150522	#10 ST BK/BL 3/4 W/PR MB C1	136	10" standard filter housing with mounting bosses and 3/4" FNPT black cap with blue sump and C1 carbon cartridge
150392	UPC L 3/4" #10BL/BLKW/PRMB	192	3/4" NPT standard 10" filter housing with black cap without pressure relief and mounting bosses and blue sump
244455	INLINE CLIP, #CSWM, 2.5"	3,364	clip for use with 2.5" inlines to secure
154585	CAP 3G BL 3/4" MB	418	3G blue 3/4" NPT with mounting bosses cap standard
158653	#10 3G-SL BK/BL 1/4" QC MM W/PR	96	10" 3G slim line black cap with pressure relief and drilled/tapped for meter and 1/4" john guest ends with blue sump integrated bracket (requires meter which one is also on this list 143549 3 color needle)
151003	#20 - S1 IND CARTON	71	20" 2.5" 20 micron cellulose (paper) pleated sediment filter
150223	#20 EXT NAT, BT, MB-222 2-C.PLUG	38	20" all natural BSP (British) thread with 2 cap housing with mounting
150327	#20 BLK & BLK VIH W/PR 8/C	40	20" valve in head filter housing all black with pressure relief alternate for 150166
158231	1/4" #5 WH & WH CT CAP 12/C	132	5" couter top cap with 1/4" FNPT ends in white 12 per case
158625	#10 3G-SL BK/BL 1/2" QC MB W/PR	48	10" 3G slim line black cap with mounting bosses and pressure relief and 1/2" john guest fittings with blue sump

158595	#10 3G-SL BL/CL 3/8" BT MB	60	10" 3G slim line blue cap with mounting bosses with 3/8" BSP (British) thread no pressure relief clear sump
158614	#10 3G-SL BK/BL 3/8" QC MB	48	10" 3G slim line black cap with mounting bosses with 3/8" john guest fittings no pressure relief with blue sump
150523	#20 ST BK/BL 3/4 W/PR MB C1-20	28	20" standard housing with black 3/4" NPT head with mounting bosses and pressure relief blue sump and C1-20 (155597) filter cartridge
158416	UPC L3/8#10BL SL/BLKWO/PR	72	10" slim line black cap with pressure relief and mounting bosses 3/8" NPT with blue sump
158652	#10 3G-SL BK/BL 1/4" MM W/PR	48	10" 3G slim line integrated bracket meter mount black cap with 1/4" NPT blue sump with pressure relief (must use meter with this unit, one on list 143549)
150184	#10 BL,#2,MB CAP,W/PR BT 12/C	48	10" standard mounting boss cap in black with pressure relief with 3/4" BSP (British) thread and blue sump
158415	UPC L3/8#5 CL SL/BLKWO/PR	48	5" slim line with mounting bosses with 3/8" NPT in black without pressure relief and clear sump
158593	#10 3G-SL BK/BL 3/8" BT MB	48	10" 3G slim line with mounting bosses, no pressure relief, 3/8" BSP (British) thread black cap and blue sump
154143	CAP, BLK W/PR 1/4"	167	
154737	CAP 3G-SL BL 3/8" MB	119	
158137	1/4" #5 BL & BLK W/PR 12/C	60	
154175	CAP, BLUE W/PR 1/2"	138	
158417	UPC L3/8#10BL SL/BLKWO/PR	48	
158602	#10 3G-SL BK/BL 1/4" QC MB	24	
158210	1/2" #5 BLUE W/PR BT (EX) 12/C	36	

Other Standard Product

Part Number	Description	Quantity	Notes
155966-03	CEP-20EBBS IND SHRK 4/C	2,448	155583-43 ep-20bb alternate with coconut carbon
144839	FAUCET,0-5 ROSLRTA	952	Air gap Faucet (lever style) w/hose (4.5' red and blue 1/4" and 3' natural 3/8") (see 151193 also)
155163	GAC5 SHELL_NEW NO CARBON 24/C	8,304	Empty GAC housing for use with carbon or other refill medias. 5" shell 24/case (normal 144 minimum)
163550	UV BALLAST DOM. 120V 50/60HZ	920	ballast for 120V for inline UV filters
155154	GAC-BB SHELL NO CARBON 8/C	3,456	open granular cartridges for media/carbon fill normal 144 min order 8 per case
158703	U/C 10" WHT/WHT 1/4", 12/CS	864	10" all white slim line with mounting boss cap. 1/4" NPT inlet outlet 12 per case
155917-06	EP-551 FLOWTECH 91/C	7,826	
255720-06	MU-GS-10RO-B-NL, INLINE, 25/C	905	10" inline coconut carbon inline filter 2" diameter with 1/4" FNPT and no label 25 per case
1204748	FLT,CTG,DEPTH,CA-HFRO 05-20	1,260	
255505-06	CHLORINE TASTE & ODOR NO LABEL	348	gs-10 gac inline filter 255505 1/4" jg 2x10"
160384	LABSP75M, 6/C	270	10" slim line flat cap all white with 3/4" BSP (British) inlet outlet, with wrench and P5 cartridge
SH244427	HEAD ASSEMBLY 3/8"	343	quick connect 3/8" john quest filter head assembly
1196934	FLT,CTG,DEPTH,CA-HFRO,10-05	1,460	
150424	SW-5 SPANNER WRENCH BULK	1,289	wrench to remove filter housing for small drinking water and ro systems (ro3000/3500 us1000/1500 wro3000/3500 and WLCS-1000 and WTOS-100)
160030	BFS-201 BL	45	1/4" dual sump slim line system with bracket (smaller version of 160196 BFS-201)
155237	PCC2-20 SHELL 30/C	330	20" L 2.7" dia empty PCC cartridge tube 30 per case can be sued to make other media cartridges
257440-06	BKT ASSY,TRIPLE QC 1/4"JG 16/C	32	triple on bracket Head for QC systems with 1/4" JG fitting
1013237	FLT,CTG,DEPTH,AUTO P-MBC-01-20	200	
158208	1/2"SL BLUE WO/PR,BT (EX) 12/C	252	10" slim line blue flat cap with blue sump without pressure relief with 1/2" BSP (British) thread 12 per case
255912-06	RE-GS-10SIC-B-NL INLINE 25/C	125	10" L 2" dia silver impregnated carbon inline filter with 1/4" FNPT caps no label 25 per case (NOT FOR US SALE)
163547	CONTROL MODULE FOR UVBB-120-2	13	ballast for 120V big blue UV treatment system part 163009
SH244687	TRIPLE STANDARD BRACKET	84	bracket used for mounting three standard housing in series for staging filter systems
158218	1/2"SL CLEAR W/PR,BT (EX)	84	10" slim line 1/2" BSP (British) blue with pressure relief cap and clear sump
151193	AG-1 AIR GAP FAUCET ST 6/C	48	SH244881 air gap faucet 4.5' of 1/4" Red and Blue hose and 4.5' of 3/8" natural hose lever style (also see 144839)
160367	MC 20BB W/NCP-20BB	18	20" big blue 1.5" NPT plumbing black cap blue sump, wrench, bracket, and NCP20BB filter cartridge individually packed
166000	USW RO MEMBRANE ASSY --OBS--	70	
144457	VENT PLUG KIT (PLUG & O-RING)	885	1/4" NPT Naytural Polypropolene Plug & 112 O-ring Bagged kit
158691	QC10-CBR-3/8PF 6/C	27	quick connect 3/8" john quest head with carbon block filter
158707	U/C 10" WHT/WHT 1/2", 12/CS	36	
SH244686	DOUBLE STANDARD BRACKET	33	
243135	O-RING 8" BUNA-N	35	
158723	QC10-TSGAC-1/4 PF 6/C	18	
149615	KIT,POS-14 BRACKET & SCREW	373	u shape bracket for mounting inline filters (GS) includes screw (see 150387 also)
555412-88	CART 226 CAPFIN S O-RING	4,000	not for residential units
155759-88	CART VF50-20BDXXXDX 20/C	1,840	Polydeph PD50-20" 20 to a case
555357-88	CART, VFHE-10-40BHPXS2B 15/C	90	10 micron 40" 2.5" high efficiency polypropylene 222 flat end cap
555090-88	CART VF5-40BMXPXS3X 12/C	780	5 micron 40" 2.5" meltblown polypropylene special end cap
555501-88	CART UF1-29BPPXDX-	1,300	custom size
555571-88	CART, VF1-40BMXPXF2S 12/C	444	1 micron 40" meltblown polypropylene finned end
555610-88	CART MG0.2-30CPPPF2SSS 6/C	24	custom size
555296-88	CART VFHE1-30BHPXF6B 15/C	180	1 micron 30" 2.5" high efficiency polypropylene 226 fin end
555298-88	CART VFHE5-30BHPXF6B 15/C	195	5 micron 30" 2.5" high efficiency polypropylene 226 fin end
555451-88	CART VF10-30BMXPXF6S 12/C	396	10 micron 30" long 2.5" melt blown polypropylene with 226 fin end cap
555221-88	CART, VFHE10-10BHPXF2E 30/C	390	10 micron 10" 2.5" high efficiency polypropylene 22 fin end cap
555554-88	CART VF1-30BMXPXDB 25/C	525	1 micron 30" meltblown polypropylene double open end with buna seal 2.5"
555312-88	CART, UF0.5-9.75FPPXDX 30/C	120	5 micron 9.75" (10) 4.5" DGD polypropylene alternate to 155359 DGD2501 or 555465 GD2501
555143-88	CART, VF10-40BSXXXDX 20/C	590	10 micron 40" 2.5" spun bonded double open end
555058-88	CART UF10-30BFSXDX 50/C	200	10 micron 30" 2.5" fiberglass with steel liner double open end
555306-88	CART VFHE3-40BHPXF6B 15/C	135	25 micron 40" 2.5"high efficiency polypropylene 226 fin end cap
555624-88	CART PTFE0.45-30CPPPDB 6/C	6	.45 micron 30" 2.75" polypropylene double open end
555302-88	CART VFHE25-30BHPXF6B 15/C	135	25 micron 30" 2.5" high efficiency polypropylene 226 fin end
555304-88	CART VFHE5-40BHPXF6B 15/C	90	5 microm 40" 2.5" high efficiency polypropylene 226 fin end cap
555370-88	CART VFHE25-9.75BHPXDXP 30/C	180	25 micron 9.75" (10) 2.5" high efficiency polypropylene double open end 30 to a case (alternate to 155751 PD25 or 155015 P25)
555455-88	CART VFHE3-40BHPXDX 15/C	90	3 micron 40" high efficiency polypropylene doule open end 15 per case
555460-88	CART VFHE5-9.75BHPXDXE 30/C	180	5 micron 9.75" long 2.5" high efficiency polypropylene 30 to a case alternate to 155749 PD5 or 155014 P5
555300-88	CART VFHE10-30BHPXF6B 15/C	90	10 micron 30" 2.5" high efficiency polypropylene 226 fin end
255898-88	CART, VF20-9BSXXXDX 24/C	6,504	PS20 10" 24 per case alternate to P-25 155015 with light flow
555341-88	CART, VFHE25-40BHPXS2B 15/C	75	25 micron 40" 2.5"high efficiency polypropylene 222 flat end seal in buna
555240-88	CART, VF5-20BMXPXS2S 12/C	180	5 micron 20" 2.5" meltblown polypropylene 222 flat end cap
555372-88	CART UF5-20BPPXDX 15/C	1,785	5 micron 20" 2.5" polypropylene wound over polypropylene double open end
555305-88	CART VFHE25-40BHPXDXP 15/C	90	25 micron 40" 2.5" high efficiency polypropylene double open end
255899-88	CART, VF20-20BSXXXDX 20/C	2,200	20 micron 20" 2.5" spun polypropylene filter alternate to P25-20 155016 20 per case

555276-88	CART, VFHE1-40BHPXXDP 15/C	60	1 micron 40" 2.5" high efficiency polypropylene
555540-88	CART VFHE1-42BHPXXDLOG 15/C	60	custom size
255700-88	CART, VF20-30BSXXXDX 20/C	1,220	20 micron 30" polypropylene 2.5" dia polypropylene filter alternate to PD25-30 155765
555334-88	CART RBP25-9.75 60/C	480	resin bond filter not residential
555634-88	CART UF250-30BPPCF 15/C	270	250 micron 30" string wound 2.5" polypropylene
555250-88	CART, VFHE1-20BHPXXDP 15/C	405	1 micron 20" 2.5" high efficiency polypropylene double open end
555594-88	CART UF50-9BPPXXD--	840	50 micron 9.75" (10) polypropylene cord wound 2.5" Alternate for loose filter (cw50 155214 PD-50 155752)
255692-88	CART, VF1-30BSXXXDX 20/C	740	30" L 2.5" dia 1 micron spun polypropylene sediment cartridge alternate to p1-30 155227
555141-88	CART, VF10-20BSXXXDX 20/C	480	10 micron 20" 2.5" spun bonded polypropylene double open ended 20 per case
555597-88	CART UF10-39BPPXXD--	220	custom size
555266-88	CART, VFHE1-30BHPXXS4P 15/C	60	1 micron 30" high efficiency polypropylene special end cap
555104-88	CART VFHE100-30BHPXXDP 15/C	90	100 micron 30" 205" high efficiency polypropylene double open end
255696-88	CART, VF5-30BSXXXDX 20/C	640	30" 5 micron 2.5" dia spun polypropylene sediment cartridge alternate to 155228 P5-30 20 per case
555333-88	VFHE1-19.5BHPXXDP 15/C	90	custom size
555562-88	CART VFHE3-9.75BHPXXDP 30/C	180	3 micron 9.75" (10) high efficiency polypropylene 30 to a case alternate for 155748 PD1 155749 PD5 or 155225 P1 155014 P5
555463-88	CART UF5-20BPSXXDX 15/C	180	5 micron 20" long 2.5" polypropylene over stainless steel liner double open end 15 to a case
555479-88	CART UF5-9.75BPPXXD- 40/C	920	5 micron 9.75" (10) polypropylene cord wound double open end 40 to a case (alternate to 155014 P5 or 155071 WP5)
555497-88	CART VF50-20FGXXXDX 12/C	96	50 micron 20" long 4.5" DGD more loose option to a 155356 DGD7525 or alternate to ECP50-20bb
555541-88	CART VFHE75-42BHPXXDLOG 15/C	60	custom size
155757-88	CART VF20-BDXXXDX 20/C	320	Polydepth PD10-20" 20 to a case
555127-88	CART, UF5-30BFSXXDX 15/C	60	5 micron 30" 2.5" fiberglass over steel liner
555303-88	CART VFHE5-40BHPXXDP 15/C	45	5 micron 40" 2.5" high efficiency polypropylene double open end
555508-88	CART UF1-29BCPXXD--	180	custom size
555420-88	CART VFHE10-40BHPXXDP 15/C	45	10 micron 40" long high efficiency polypropylene double open end
555484-88	CART UF5-40BCSSXXDX- 20/C	120	5 micron 40" long 2.5" cotton wound over stainless steel double open end
555297-88	CART VFHE5-30BHPXXDP 15/C	75	5 micron 30" 2.5" high efficiency polypropylene double open end
555346-88	CART UF-20FZPXDX 15/C	60	custom size
555569-88	CART, VF1-40BMXPXDS12/C	80	1 micron 40" meltblown polypropylene special end cap
155756-88	CART VF5-20BDXXXDX 20/C	160	Polydepth PD5-20" 20 to a case
555196-88	CART UF1-30BPPXXD 15/C	135	1 micron 30" 2.5" polypropylene cord wound over polypropylene double open end
555343-88	CART, VF1-10FGXXXDX 24/C	144	1 micron 10" 4.5" DGD alternate to DGD2501 155359
555410-88	CART VF10-9FGXXXDX 24/C	144	10 micron 9.75" (10) 4.5" double open end DGD alternate for 555466 GD5010
555307-88	INLINE GS-6EXTRA-GH-NL 12/CS	132	6" L 2" dia KDF and coconut carbon inline filter with 3/4" caps one male one female no label 12 per case
555359-88	CART, ZVF5-29.25BSXXXDX 50/C	200	custom size
555148-88	CART CEF10-20FPVXDP 6/C	156	100 micron pleated cellulose polyester blend 20" BB equivalent to ECP but between 255494 ECP5-20BB and 255495 ECP25-20BB
555530-88	CART VFHE25-19.5BHPXXDP 15/C	90	custom size
555317-88	CART, VFHE50-19.5BHPXXDP 15/C	90	custom size
555531-88	CART VFHE75-19.5BHPXXDP 15/C	90	custom size
555544-88	CART VFHE75-10BHPXXDP 30/C	180	75 micron 10" polypropylene high efficiency double open end (alternate for looser filtering than 155752 PD 50 or 155214 CW50)
555347-88	CART VFHN1-30BHPXS2B 15/C	45	custom size
555091-88	CART VF5-40BMXPXL4X 12/C	48	5 micron 40" 2.5" meltblown polypropylene special end cap
555411-88	CART UF0.5-9.75BFSXXDX 30/C	120	.5 micron 9.75" (10) 2.5" fiberglass strong wound over stainless steel double open end 30 per case
555275-88	CART, UF100-30BPPXXD 15/C	105	100 micron 30" 2.5" cotton wound over polypropylene double open end
555356-88	CART, UF1-40BPPXXD 15/C	75	1 micron 40" 2.5" polypropylene cord wound over polypropylene double open end 15 to a case
555498-88	CART UF1-19BPPXXD--	180	custom size
555215-88	CART UF100-40BRTXXDX 15/C	60	100 micron 40" 2.5" customer material
555284-88	CART, UF200-40BPPXXD 15/C	120	40" L 2.5" dia 200 micron string wound polypropylene
555051-88	CART, UF5-10BPPXXDX 50/C	120	3 micron 10" 2.5" cord wound polypropylene over polypro core double open end (Alternate to 155014 P5 or 155071 WP5)
555560-88	CART, VFHE5-9.75BHPXXDP 30/C	108	5 micron 9.75" (10) high efficiency polypropylene 30 to a case alternate for 155749 PD5 or 155014 P5
155763-88	CART VF5-30BDXXXDX 20/C	120	see above for individual pack 20 to a case
555301-88	CART VFHE25-30BHPXXDP 15/C	45	25 micron 30" 2.5" high efficiency polypropylene double open end
155751-88	CART VF25-9BDXXXDX 24/C	192	Polydepth PD25-9 3/4" 24 to a case
555514-88	CART UF5-29BCSSXXDX--	80	custom size
555278-88	CART, UF100-30-BPPXXD 15/C	135	100 micron 30" cord wound polypropylene 2.5"
555515-88	CART UF10-29BCSSXXDX--	80	custom size
555218-88	CART, VF100-20FGXXXDX 12/C	60	100 micron 20" 4.5" DGD alternate for 355226 WPX100BB20P
255693-88	CART, VF1-40BSXXXDX 20/C	100	40" L 2.5" dia 1 micron spun polypropylene filter cartridge alternate in lower temp P1-40 155769
555510-88	CART UF1-39BCPXXD--	80	custom size
155762-88	CART, VF1-30BDXXXDX 20/C	40	Polydepth PD1-30" 20 to a case
555219-88	CART, VF3-20FGXXXDX 12/C	48	3 micron 20" 4.5" DGD alternate for 155358 DGD5005-20
555481-88	CART UF25-9.75BPPXXD- 40/C	320	25 micron 9.75" (10) polypropylene cord wound double open end 40 to a case (alternate to 155015 P25 or 155072 WP30)
555593-88	CART UF5-19BPPXXD--	160	custom size
555349-88	CART VF25-10FGXXXDX 24/C	96	DGD7525 10"BB bulk pack 24 to a case 155355
255481-88	CART CEF1-9.75 BPVXDP 24/C	192	10" L 2.5" dia 1 micron pleated cellulose polyester blend. Alternate to 255481-43 with industrial tag
555140-88	CART VF1-40 BMXPXS3X 12/C	48	1 micron 40" 2.5" meltblown polypropylene special end
555417-88	CART VF100-9.75FGXXXDX 24/C	96	100 micron 9.75" 4.5" DGD alternate to 355226 WPX100BB20P
555377-88	CART UF0.5-20BFSXXDX 15/C	45	.5 micron 20" 2.5" fiberglass wound over stainless steel double open end
555568-88	CART VF50-40BMXPXF2S 12/C	48	50 micron 40" meltblown polypropylene 222 fin end cap
255697-88	CART, VF5-40BSXXXDX 20/C	80	40" L 2.5" dia 5 micron spun polypropylene sediment cartridge alternate to 155422 P5-40
555478-88	CART UF1-9.75BPPXXD- 40/C	280	1 micron 9.75" (10) polypropylene cord wound double open end 40 to a case (alternate to 155225 P1)
555511-88	CART UF5-39BCPXXD--	80	custom size
555512-88	CART UF10-39BCPXXD--	80	custom size
555105-88	CART VFHE100-20BHPXXDP 15/C	60	100 micron 20" 2.5" high efficiency polypropylene double open end
355223-88	CART UF5-20FPXXDX 6/C	36	5 micron 20" 4.5" polypropylene cord wound equal to WP5BB20P 355223
555328-88	CART UF25-30BPPXXD 15/C	75	25 micron 30" 2.5" polypropylene cord wound
555077-88	CART VF25-5BMXPXDP 12/C	100	25 micron 5" meltblown polypropylene 2.5" double open ended
555078-88	CART VF50-5BMXPXDP 12/C	100	50 micron 5" meltblown polypropylene 2.5" double open ended
555079-88	CART VF75-5BMXPXDP 12/C	100	75 micron 5" meltblown polypropylene 2.5" double open ended
155030-88	CART VF5-4.8BSXXXDX 24/C	672	
555080-88	CART VF100-5BMXPXDP 12/C	100	100 micron 5" 2.5" meltblown polypropylene double open end
555125-88	CART, VF5-30BMXPXF2B 12/C	48	5 micron 30" 2.5" meltblown polypropylene 222 fin end cap with buna seal

155750-88	CART, VF10-9BDXXXDX 24/C	158	
555552-88	CART UF10-20BFSSXDX 15/C	45	10 micron 20" fiberglass stringwound with stainless steel liner double open end 2.5"
555524-88	CART UF20-10BKSSXDX- 40/C	160	20 micron 10" long 2.5" cotton spun over stainless liner
255493-88	CART CEF1-20FPVXDVP 6/C	54	
555385-88	CART VF20-40BMXPXDB 20/C	60	20 micron 40" 2.5" meltblown polypropylene buna end seal double open end
555241-88	CART, VF1-20BMXPXS2S 12/C	48	1 micron 20" 2.5" melt blown polypro end cap 222 flat
355214-88	CART UF5-9FPXDX 8/C	56	5 micron 10" 4.5" polypropylene cord wound equal to WP5BB10P 355218
555482-88	CART UF25-29.25BPPXDX- 20/C	80	custom size
555502-88	CART UF5-29BPPXDX-	80	custom size
555257-88	CART, UF50-10BBSXXX 30/C	120	50 micron 10" 2.5" bleached cotton cord wound over steel special
555526-88	CART UF5-40BPPXDX 15/C	45	5 micron 40" long 2.5" polypropylene cord wound double open end
355683-88	CART VF5-40BMXPXS2B 12/C	36	5 micron 40" 2.5" blowmolded polypropylene with 222 flat end cap
555424-88	CART VF1-40BMXPXF6B 12/C	36	1 micron 40" long 2.5" meltblown polypropylene 226 fin end with buna end seal
555529-88	CART VF5-40BMXPXF2V 12/C	36	5 micron 40" long 2.5" meltblown polypropylene 222 fin end with viton seal
555659-88	CART UF5-40BCPXDX-	40	
555202-88	CART UF100-30BCPXDX 15/C	60	100 micron 30" 2.5" cotton wound over polypropylene double open end
555483-88	CART UF50-29.25BPPXDX- 20/C	80	custom size
255486-88	CART CEF5-20BPVXDVP 14/C	112	
555503-88	CART UF100-29BPPXDX-	80	custom size
555265-88	CART EF25-9.7BPVXDVP 24/C	336	25 micron 9.75" (10) 2.5" pleated polyester alternate to 155017 R30
255496-88	CART CEF50-20FPVXDVP 6/C	48	
555509-88	CART UF10-29BCPXDX-	80	custom size
555419-88	CART UF10-29.25BPPXDX 15/C	60	custom size
555142-88	CART UF5-10BPPXDX 30/C	210	5 micron 10" 2.5" polypropylene cord wound double open end 30 per case (equivalent to 155072 WP30)
255487-88	CART CEF20-20BPVXDVP 14/C	112	
555198-88	CART UF10-30BPPXDX 15/C	75	10 micron 30" 2.5" polypropylene cord wound over polypropylene double open end
555310-88	CART, UF10-40BPPXDX 15/C	45	10 micron 40" 2.5" polypropylene cord wound over polypropylene double open end
555584-88	CART UF350-20bpxdx 15/c	90	350 micron 20" polypropylene cord wound
555513-88	CART UF75-9BCSSXDX-	160	75 micron 9.75" (10) cotton spun over stainless liner double open end
555234-88	CART, VFN1-40BNXXXDX 15/C	60	custom size
555425-88	CART VF20-9.75BMXPXS9B 12/C	48	20 micron 9.75" (10) 2.5" meltblown polypropylene special end with buna end seal
555231-88	CART, UF100-30BCTXDX 15/C	60	100 micron 30" 2.5" cotton wound over tin double open end
555313-88	CART, UF5-9.75BPPXDX 30/C	150	5 micron 9.75" (10) 2.5" polypropylene cord wound over polypropylene double open end 30 to a case alternate to 155014 P5 or 155071 WP5
555204-88	CART UF1-9.75BBSXDX 30/C	90	1 micron 9.75" (10) 2.5" bleached cotton over steel
555314-88	CART, UF25-9.75BPPXDX 30/C	150	25 micron 9.75" (10) 2.5" polypropylene cord wound over polypropylene double open end 30 to a case alternate to 155015 P25 or 155072 WP30
555437-88	CART UF5-29.25BPPXDX 20/C	60	custom size
555371-88	CART UF50-9.8BBSXDX 30/C	90	50 micron 9.8" (10) 2.5" bleached cotton over stainless steel double open end
555190-88	CART UF1-30BPPXDC 15/C	60	1 micron 30" 2.5" polypropylene cord wound over polypropylene double open end special end seal
555282-88	CART, VFN1-9.75BNXXXDX 30/C	180	custom size
555620-88	CART UF75-10BPTXDX 30/C	120	75 micron 10" polypropylene cord wound 2.5" double open end. alternate for loose filter (cw50 155214 PD-50 155752)
555281-88	CART, VFN10-9.75BNXXXDX 30/C	180	custom size
555628-88	CART VF1-30BMXPXS3X 12/C	24	1 micron 30" polypropylene 2.5" meltblown Single open end with spring
555280-88	CART, VFN50-9.75BNXXXDX 30/C	180	custom size
555285-88	CART, UF200-30BPPXDX 15/C	45	200 micron 30" polypropylene cord wound over polypropylene double open end 2.5"
555203-88	CART UF50-30BPPXDX 15/C	60	50 micron 30" 2.5" polypropylene cord wound over polypropylene double open end
555499-88	CART UF10-19BPPXDX-	80	custom size
555380-88	CART VF5-29.25BSXXXDX 20/C	100	custom size
555505-88	CART UF10-9BCPXDX-	160	10 micron 9.75" (10) cotton spun over polypropylene liner double open end 2.5"
555506-88	CART UF25-9BCPXDX-	160	25 micron 9.75" (10) cotton spun over polypropylene liner double open end 2.5"
555504-88	CART UF5-9CPXDX-	160	5 micron 9.75" (10) cotton spun over polypropylene liner double open end 2.5"
555391-88	CART UF30-10BPPXDX 30/C	120	30 micron 10" 2.5" polypropylene cord wound over polypropylene with double open end 30 to a case(alternate to 155072 WP30)
555316-88	CART, VFHE50-9.75BHPXXDP 30/C	60	50 micron 9.75" (10) 2.5" high efficiency polypropylene double open end 30 to a case alternate to 155752 PD 50 or 155214 CW50
555507-88	CART UF50-19BCPXDX-	80	custom size
555625-88	CART UF0.5-10BBSXDX 30/C	60	.5 micron 10" bleached cotton FDA grade 2.5" stainless steel liner
555432-88	CART UF10-39BPPXDX- 20/C	40	custom size
555431-88	CART UF5-39BPPXDX- 20/C	40	custom size
555264-88	CART, UF30-20BPPXDX 15/C	45	30 micron 20" 2.5" bleached cotton wound over polypropylene double open end
255488-88	CART CEF50-20BPVXDVP 14/C	112	
555430-88	CART UF10-29.25BPPXDX- 20/C	40	custom size
555114-88	CART, UF5-30BPPXS4X 15/C	30	5 micron 30" 2.5" polypropylene cord wound with special end
555549-88	CART UF400-9.75BCPXDX 30/C	120	400 micron 9.75" cotton string wound with polypropylene core 2.5" double open end
555201-88	CART UF100-10BCPXDX 30/C	90	100 micron 10" 2.5" cotton wound over polypropylene double open end 30 to a case
555345-88	CART UF20-9.75BPPXDX 30/C	90	20 micron 9.75" (10) 2.5" polypropylene cord wound over polypropylene double open end 30 to a case alternate to 155015 P25
555325-88	CART, UF.5-20BCPXDX 15/C	45	.5 micron 20" 2.5" cotton wound over polypropylene double open end 15 to a case
555256-88	CART, UF50-9BCPXDX 30/C	120	50 micron 9.75" (10) 2.5" cotton cord wound over polypropylene double open end
555375-88	CART UF400-20BPPXDX 15/C	45	400 micron 20" 2.5" polypropylene wound over polypropylene double open end
555054-88	CART CEF100-9FPVXDVP 8/C	56	100 micron 9.75" (10) 4.5" ECP polyester cellulose blend pleated cartridge
555635-88	CART UF400-30BCTXDX 15/C	30	400 micron 30" string wound 2.5" cotton tin liner
555640-88	CART VFHE1-30BHPXDB 15/C	7	1 micron 30" polypropylene 2.5" high efficiency meltblown buna end seal
555379-88	CART VF1-29.25BSXXXDX 20/C	60	custom size
555344-88	CART ZUF5-30UPPXDX 15/C	45	custom size
555144-88	CART UF1-20BPPXDX 15/C	45	1 micron 20" 2.5" polypropylene cord wound over polypropylene double open end
555323-88	CART, UF10-20BCPXDX 15/C	45	10 micron 20" 2.5" cotton wound over polypropylene double open end 15 to a case
555638-88	CART UF100-30BPPXDX 15/C	30	100 micron 30" string wound 2.5" polypropylene
555113-88	CART, UF25-10BPPXDX 30/C	90	25 micron 10" 2.5" Polypropylene cord wound double open end 30 to a case (equal to 155015 P25 or 155187 CW-MF)

This document will be updated periodically throughout the course of this sale. It is our goal to provide the most up-to-date inventories of available products. Since all products are available "while supplies last" it is possible that an inventory level may be reduced or depleted between updates. We will make an effort to accommodate your desired order quantities and appreciate your understanding if those quantities become unavailable. Please place your orders early in order to ensure the most complete order fulfillment. Thank you for your participation in this sale, and we hope that these great prices will help you drive your business!

Tanks & Accessories in Chardon

Part Number	Description	Quantity	NOTES
60546-01	BRINE VALVE ASSY,18X35,PURONIC	108	
CH10725	FTG VACUUM BREAKER HTHPR	48	
CH12478-2	FTG 4.5" BUTT EXCHNG TK	138	
CH14643	ADA VE 16"MW 6"-8UN THREAD	6	
CH15099	1016 PG 2.5"T Q-1016-A8	30	
CH15144	SOFT FACEPLATE/LBL SOFT-	111	
CH15175-1	SOFT CABINET 10"TK & CVR	19	
CH15540-1	SOFT CABINET 8X35 FULL	2	
CH15835	DST BTM FISHBONE ASSY	3	
CH15836	DST BTM FISHBONE ASSY	15	
CH15877	BC1001-2A WHITE COVER	114	
CH15878	BC1001-2B WHITE COVER	184	
CH15973	BC1003-2ANXI TRANS GREEN COVER	53	
CH15985	BC1003-4N TRANSP GREEN BASE	109	
CH16047	BC1840-2B GO GOLD COVER	81	
CH19716	BRN TUBE ASSY 1833 MOD HUGHES	30	
CH20205	BRN TUBE ASSY 1833 AMERIFLOW	96	
CH2695-1	CLOS CPVC 6"-8 FLAT CL-6	14	
CH2695-10	ADA CPVC 6"-8UN TO	22	
CH30109-01010303-30	0613 PG 2.5"T UI NAT COMP JAP	297	
CH30109-03010203-30	0613 PG 2.5"T UI BLK COMP BASE	36	
CH30109-10990103-30	0613 PG 2.5"T UI ALM NO BASE	11	
CH30109-12010102-30	0613 PG 2.5"T UI MED GRAY COMP	9	
CH30109-12010103-30	0613 PG 2.5"T UI MED GRAY COMP	90	
CH30127-01990103-30	0618 PG 2.5"T UI NAT NO BASE	261	
CH30127-12010101-30	0618 PG 2.5"T UI MED GRAY COMP	12	
CH30127-12010103-30	0618 PG 2.5"T UI MED GRAY COMP	197	
CH30151-02010403-30	0635 PG 2.5"T UI BLUE COMP BSE	24	
CH30151-03010203-30	0635 PG 2.5"T UI BLK COMP BASE	64	
CH30151-10990103-30	0635 PG 2.5"T UI ALM COMP NO	21	
CH30151-12010103-30	0635 PG 2.5"T UI MED GRAY COMP	225	
CH30168VEBLUE	0724 VE 2.5"T BLUE	55	
CH30168VENAT	0724 VE 2.5"T NATURAL	12	
CH30190-02010102-30	0735 PG 2.5"T UI BLUE COMP BSE	18	
CH30190-02010103-30	0735 PG 2.5"T UI BLUE COMP BSE	144	
CH30190-03010202-30	0735 PG 2.5"T UI BLK COMP BASE	14	
CH30190-03010203-30	0735 PG 2.5"T UI BLK COMP BASE	76	
CH30190-10010102-30	0735 PG 2.5"T UI ALM COMP BASE	9	
CH30213-01990402-30	0744 PG 2.5"T UI NAT NO BASE	9	
CH30213-06010103-30	0744 PG 2.5"T UI AFC BROWN	24	
CH30213-07019803-30	0744 PG 2.5"T UI 400C GRAY	23	
CH30213-12010103-30	0744 PG 2.5"T UI MED GRAY COMP	48	

CH30264-01010402-30	0835 PG 2.5" T UI NAT COMP BASE	28
CH30264-01010403-30	0835 PG 2.5" T UI NAT COMP BASE	161
CH30264-01030301-30	0835 PG 2.5" T UI NAT RBR BASE/	4
CH30264-01990103-30	0835 PG 2.5" T UI NAT NO BASE	3
CH30264-02010103-30	0835 PG 2.5" T UI BLUE COMP	36
CH30264-02010402-30	0835 PG 2.5" T UI BLUE COMP	12
CH30264-07019803-30	0835 PG 2.5" T UI 400C GRAY	26
CH30264-12010103-30	0835 PG 2.5" T UI MED GRAY COMP	54
CH30270VENAT	0835 VE 2.5" T NAT FULL	9
CH30290BLUE	0844 FRP 2.5" T BLUE	4
CH30312VENAT	0844 VE 2.5" T NAT FULL	32
CH30317-01010103-30	0918 PG 2.5" T UI NAT COMP BASE	93
CH30317-03010203-30	0918 PG 2.5" T UI BLK COMP BASE	160
CH30317-10990103-30	0918 PG 2.5" T UI ALM NO BASE	209
CH30317-12010103-30	0918 PG 2.5" T UI M-GRAY COMP	56
CH30341BLUE	0935 FRP 2.5" T BLUE	28
CH30347-01010103-30	0935 PG 2.5" T UI NAT COMP BASE	14
CH30347-03010201-30	0935 PG 2.5" T UI BLK COMP BASE	18
CH30347-03010203-30	0935 PG 2.5" T UI BLK COMP BASE	29
CH30347-03990203-30	0935 PG 2.5" T UI BLK NO BASE	98
CH30347-12010103-30	0935 PG 2.5" T UI MED GRAY COMP	135
CH30360-02010101-30	0940 PG 2.5" T UI BLUE COMP	9
CH30360-02010103-30	0940 PG 2.5" T UI BLUE COMP	97
CH30360-12010103-30	0940 PG 2.5" T UI MED GRAY COMP	46
CH30367-02030103-30	0942 PG 2.5" T UI BLUE RBR BASE	42
CH30386VEBLUE	0948 VE 2.5" T BLUE FULL	13
CH30395NAT	1019 FRP 2.5" NATURAL	37
CH30421BLUE	1030 FRP 2.5" T BLUE BTM	14
CH30460-01010402-30	1035 PG 2.5" T UI NAT COMP BASE	26
CH30466VENAT	1035 VE 2.5" NAT FULL	3
CH30491-02010103-30	1040 PG 2.5" T UI BLUE COMP	61
CH30491-10030103-30	1040 PG 2.5" T UI ALM RBR BASE/	36
CH30494VEBLUE	1040 VE 2.5" T BLUE	4
CH30495VENAT	1040 VE 2.5" T NAT FULL	12
CH30596BLUE	1229 FRP 2.5" T BLUE BTM	27
CH30625BLUE	1248 FRP 2.5" T BLUE	71
CH30666-01030101-30	1252 PG 2.5" T UI NAT RBR BASE/	3
CH31357-02990103-30	1018 PG 2.5" T UI BLUE NO BASE	24
CH31357-10010103-30	1018 PG 2.5" T UI ALM COMP BASE	120
CH31357-12010103-30	1018 PG 2.5" T UI MED GRAY COMP	144
CH31440VENAT	0618 VE 2.5" T NATURAL	44
CH31441VEBLUE	0730 VE 2.5" T BLUE BTM PAD	47
CH31441VENAT	0730 VE 2.5" T NAT BTM	42
CH31442VEBLUE	1019 VE 4" T BLUE BTM PAD	11
CH31443VENAT	1035 VE 4" T NATURAL	22

CH31478-01010102-30	1060 PG 2.5" T UI NAT ABS COMP	33
CH31478-01010103-30	1060 PG 2.5" T UI NAT ABS COMP	40
CH31478-10010103-30	1060 PG 2.5" T UI ALM ABS COMP	65
CH31534-1	1640 CT30 QUICK CONNECT	19
CH31835-02010103-30	0818 PG 2.5" T UI BLUE COMP BSE	45
CH31835-12010101-30	0818 PG 2.5" T UI MED GRAY COMP	33
CH31835-12010103-30	0818 PG 2.5" T UI MED GRAY COMP	72
CH31835-12030103-30	0818 PG 2.5" T UI MED GRAY RBR	36
CH31835-12080103-30	0818 PG 2.5" T UI MED GRAY RBR	72
CH31836-01010103-30	0830 PG 2.5" T UI NAT COMP BASE	90
CH31836-03010201-30	0830 PG 2.5" T UI BLACK COMP	29
CH33097	0819 BRINE CAB & SALT LD	27
CH33234VENAT	1030 VE 2.5" T NAT FULL	43
CH33391	2438 COMP 4" T 4" B NAT EXT BASE	1
CH33432	4872 COMP 6" TF NAT TRIPOD BASE	2
CH33542	3072 COMP 4" T 4" B NAT TRIPOD	3
CH33659VEBLUE	1354 VE 4" T BLUE HVY SIDEPAD	23
CH33662-1	2162 CT80 BLACK QUICK CONNECT	14
CH33680	3672 COMP 6" IT	1
CH33724	3672 COMP 4" T 6" IB	1
CH33816	2162 COMP 6" IT	1
CH33858-01010102-30	0824 PG 2.5" T UI NAT COMP BASE	100
CH33858-02010103-30	0824 PG 2.5" T UI BLUE COMP	16
CH33911VENAT	1665 VE 6" T NAT FULL T&B	2
CH33960VEBLK	0940 VE 4" T BLACK FULL T&B	16
CH34067	5060 BRINE TK BLK DRILL KIN	7
CH34093	1134 BRINE TK AMERIFLOW DRILL	56
CH34281	1134 BLUE BRINE TK/CVR 4-PACK	100
CH34284	1840 BLUE BRINE TK & CVR	52
CH34294VENAT	1054 VE 4" T NAT FULL T&B DOME	2
CH34300-10010101-30	1454 PG 2.5" T UI ALM COMP BASE	20
CH34328-03010203-30	1044 PG 2.5" UI 1.25" DH LOC A	59
CH5285	FTG FLEX CONNECTOR	3
CH5668	DST KIT 14-16" COMP	17
X-PI25-3	PI25-3 MANIFOLD W/FC	104

This document will be updated periodically throughout the course of this sale. It is our goal to provide the most up-to-date inventories of available products. Since all products are available "while supplies last" it is possible that an inventory level may be reduced or depleted between updates. We will make an effort to accommodate your desired order quantities and appreciate your understanding if those quantities become unavailable. Please place your orders early in order to ensure the most complete order fulfillment. Thank you for your participation in this sale, and we hope that these great prices will help you drive your business!

Revnosa

Item #	Description	Quantity	Notes
255554-43	RE-GS-10EXTRA-5-C, INLINE,12/C	1,322	10" L 2" dia kdf and coconut carbon 5 micron inline filter with 3/8" FNPT caps 12 per case
255527-06	MU-GS-210RO-B-N/L, INLINE,16/C	703	10" L 2" dia granular coconut carbon 5 micron inline filter with 1/4" FNPT caps no label 16 per case
255595-06	MU-GS-10ALS-B-N/L,INLINE,25/CS	538	10" L 2" dia phosphate and coconut carbon 20 micron inline filter with 1/4" FNPT caps no label 25 per case
255649-06	INLINE GS-10LS-G N/L 6/C	384	10" L 2" dia lead cyst carbon 0.5 micron inline filter with 1/4" john guest ends no label 6 per case
255858-06	MU-RV-210EX1-GH-N/L,INLINE,20C	204	10" L 2" dia 1/2" MNPT kdf and coconut carbon inline filter 5 micron 20 per case no label
255575-06	MU-GS-10SED5-B-N/L, INLINE,25/C	261	10" L 2" dia 5 micron sediment inline filter with 1/4" FNPT caps no label 25 per case
255516-06	MU-GS-6RO-C-N/L, INLINE,25/C	427	6" L 2" dia 5 micron granular coconut carbon inline filter 3/8" FNPT caps no label 25 per case
SF210-TOS	SHURFLO RO/PHOS 1/4 FPT	224	10" L 2" dia 20 micron phosphate and coconut carbon inline filter with 1/4" FNPT caps with shurflo label alternate to 255595
255715-06	MU-GS-6RO-B-N/L, INLINE,25/C	399	6" L 2" dia 5 micron granular coconut carbon inline filter with 1/4" caps no label 25 per case
255522-43	RE-GS-10RO-C, INLINE, 12/C	175	10" L 2" dia 5 micron granular coconut carbon inline filter with 3/8" FNPT caps Pentek label 12 per case
255596-06	RE-GS-10ALS-C-N/L,INLINE,25/CS	107	10" L 2" dia 20 micron phosphate crystal and coconut carbon inline filter with 3/8" FNPT caps no label 25 per case
255589-06	MU-GS6ALS-B-N/L, INLINE,25/C	75	6" L 2" dia 20 micron phosphate crystal and coconut carbon inline filter with 1/4" FNPT caps no label 25 per case
255603-06	MU-GS-10PH-B-N/L,INLINE, 25/CS	29	10" 2" dia phosphate crystal feeder with 1/4" FNPT caps no label 25 per case

This document will be updated periodically throughout the course of this sale. It is our goal to provide the most up-to-date inventories of available products. Since all products are available "while supplies last" it is possible that an inventory level may be reduced or depleted between updates. We will make an effort to accommodate your desired order quantities and appreciate your understanding if those quantities become unavailable. Please place your orders early in order to ensure the most complete order fulfillment. Thank you for your participation in this sale, and we hope that these great prices will help you drive your business!